

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AgC: Allegheny-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
AhC: Allegheny-----	40	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
Urban Land-----	40	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	20	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
AsA: Ashton-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Melvin-----	5	Flooding	0.40				
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
AsB: Ashton-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00		0.50	Too steep for surface application	0.68
Melvin-----	5	Flooding	0.40				
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Ca: Chagrin-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	0.60
		Seepage	1.00	Flooding	0.60		
Melvin-----	5	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Cg: Chagrin-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	0.60

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Melvin-----	5	Seepage	1.00	Flooding	0.60		
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Cm: Chagrin-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Restricted permeability	1.00		
Other Soils-----	35	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Melvin-----	25	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00				
CoB: Coolville-----	100	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	0.99
		Too acid	0.99	Restricted permeability	1.00	Too steep for surface application	0.68
		Depth to saturated zone	0.68	Slope	0.50	Depth to saturated zone	0.68
		Depth to bedrock	0.42	Too acid	0.14	Depth to bedrock	0.42
CtB: Cotaco-----	100	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DoD: Dormont-----	100	Too acid	1.00	Slope	0.50	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too steep for surface application	0.68
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95	Cobble content	0.01	Depth to saturated zone	0.95
		Too acid	0.91			Too acid	0.91
GlC: Gilpin-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
GlD: Gilpin-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GlE: Gilpin-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GpF: Gilpin-----	100	Too acid	1.00			Too acid	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.09	Too acid	1.00
GuC: Gilpin-----	55	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
Upshur-----	25	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
Other Soils-----	20	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GuC3: Gilpin-----	55	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
						Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Upshur-----	25	Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
Other Soils-----	20	Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
GuD: Gilpin-----	55	Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Upshur-----	25	Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Other Soils-----	20	Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GuD3: Gilpin-----	55	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Upshur-----	25	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
Other Soils-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GuE: Gilpin-----	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Other Soils-----	30	Too acid	1.00			Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Upshur-----	20	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid Seepage	0.77 0.62			Depth to bedrock Restricted permeability	1.00 0.96
GuE3: Gilpin-----	50	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
Other Soils-----	30	Too acid	1.00			Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Upshur-----	20	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
GuF: Gilpin-----	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Other Soils-----	30	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Upshur-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
GxD: Urban Land-----	35	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Gilpin-----	25	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Other Soils-----	25	Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Upshur-----	15	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
Gy: Guyan-----	95	Seepage	0.62			Restricted permeability	0.96
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too acid	0.14
Purdy-----	5	Too acid	0.14				
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
Gz: Guyan-----	40	Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too acid	0.14
		Too acid	0.14				
Urban Land-----	40	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Hu: Huntington-----	95	Very limited		Very limited		Very limited	
		Flooding	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Flooding	0.60	Flooding	0.60
		Seepage	1.00				
Melvin-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
KaA: Kanawha-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too acid	0.67
		Too acid	0.67				
KaB: Kanawha-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KnA: Kanawha-----	100	Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
		Too acid	0.67			Too acid	0.67
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	0.67
		Too acid Flooding	0.67 0.40				
KnB: Kanawha-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
		Too acid Flooding	0.67 0.40			Too acid	0.67
KuB: Kanawha-----	40	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	0.67
		Too acid	0.67			Too steep for surface application	0.08
Urban Land-----	40	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	20	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
LaC: Lakin-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00			Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Filtering capacity Too acid	1.00 0.91
L1D: Lily-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
L1E: Lily-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Lm: Lindside-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Depth to saturated zone	0.95				
Melvin-----	5	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Lo: Lobdell-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	0.68
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Depth to saturated zone	0.68			Too acid	0.07
		Too acid	0.07				
Melvin-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
MaB:							
Markland-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.07			Too steep for surface application	0.08
						Too acid	0.07
MaC:							
Markland-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50	Slope	1.00	Restricted permeability	0.96
		Too acid	0.07			Too steep for sprinkler application	0.50
						Too acid	0.07
Me:							
Melvin-----	100	Very limited		Very limited		Very limited	
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Flooding	0.60	Flooding	0.60
		Seepage	1.00				
MoB:							
Monongahela-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	1.00	Slope	0.50	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Too steep for surface application	0.68
						Restricted permeability	0.50
MoC: Monongahela-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
MuC: Monongahela-----	40	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
Urban Land-----	40	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Po: Pope-----	95	Very limited		Somewhat limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Atkins-----	5	Flooding	1.00	Restricted permeability	0.62	Low adsorption	1.00
		Seepage	1.00	Flooding	0.60	Too acid	1.00
		Low adsorption	1.00	Too acid	0.14	Flooding	0.60
		Too acid	1.00				
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
SoA: Sensabaugh-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Flooding	0.60
		Seepage	1.00	Flooding	0.60		
SrB: Sensabaugh-----	100	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	0.68
		Flooding	0.40	Slope	0.50		
SvC: Urban Land-----	35	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	25	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Sensabaugh-----	25	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Vandalia-----	15	Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	0.68
		Flooding	0.40	Slope	0.50		
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	0.91	Slope	1.00	Too acid	0.91
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
						Restricted permeability	0.50
Ud:							
Udorthents-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
UpC:							
Upshur-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Depth to bedrock	1.00
		Seepage	0.62			Restricted permeability	0.96
Ur:							
Urban Land-----	100	Not rated		Not rated		Not rated	
Us:							
Urban Land-----	50	Not rated		Not rated		Not rated	
Ashton-----	20	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lindside-----	15	Not rated		Not rated		Not rated	
Other Soils-----	15	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00 1.00
UwB: Urban Land-----	55	Not rated		Not rated		Not rated	
Wheeling-----	25	Not rated		Not rated		Not rated	
Other Soils-----	20	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00 1.00
VaD: Vandalia-----	100	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application Too acid Restricted permeability	1.00 0.91 0.50
VuD: Urban Land-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

[illegible]